


NB. EXTERNAL DIAMETERS MUST BE
CONCENTRIC WITH MORSE TAPER


DENFORD

COMPUTERISED MACHINES AND SYSTEMS

UNLESS STATED OTHERWISE
ALL DIMENSIONS ARE IN mm
LIMITS ON DIMENSIONS ANGULAR $\pm 0.5^\circ$
 LINEAR / DIAMETRAL $\pm 0.25\text{mm}$
MACHINE SURFACES Ra 0.8

UNSPECIFIED GEOMETRIC TOLERANCES
TO LIE WITHIN THE TOLERANCE ZONE.

	ORIGINAL ISSUE		1
N°.	ALTERATION		ISSUE
DRAWN	IV	CHECKED	 3 RD
DATE	23.03.00		
SCALE	1:1		
MATERIAL	EN 1A		
TITLE	TAILSTOCK BARREL		
PART N°.	AC2/704A		




DENFORD

COMPUTERISED MACHINES AND SYSTEMS

UNLESS STATED OTHERWISE
ALL DIMENSIONS ARE IN mm
LIMITS ON DIMENSIONS ANGULAR ± 0.5°
LINEAR / DIAMETRAL ± 0.25mm
MACHINE SURFACES Ra 0.8

UNSPECIFIED GEOMETRIC TOLERANCES
TO LIE WITHIN THE TOLERANCE ZONE.

		ORIGINAL ISSUE		1
N°		ALTERATION		ISSUE
DRAWN	IV	CHECKED	 3 RD	
DATE	23.03.00			
SCALE	1:1			
MATERIAL	EN 1A			
TITLE	TAILSTOCK BARREL			
PART N°	AC2/704A			